ФЕДЕРАЛЬНОЕ АГЕНТСТВО ЖЕЛЕЗНОДОРОЖНОГО ТРАНСПОРТА

Федеральное государственное бюджетное образовательное учреждение высшего образования

«Иркутский государственный университет путей сообщения» Сибирский колледж транспорта и строительства

МЕТОДИЧЕСКИЕ УКАЗАНИЯ ПО ВЫПОЛНЕНИЮ ПРАКТИЧЕСКИХ РАБОТ (очной формы обучения)

(очнои формы ооучения) ОГСЭ.03. ИНОСТРАННЫЙ ЯЗЫК

для специальности

23.02.01 Организация перевозок и управление на транспорте (по видам) базовая подготовка среднего профессионального образования

Иркутск, 2022 г.



PACCMOTPEHO:

Цикловой методической комиссией Иностранных языков

«03» октября 2022 г. Председатель ______ О.В. Горовая

Разработчик: Горовая О.В., преподаватель высшей категории Сибирского колледжа транспорта и строительства ФГБОУ ВО «Иркутский государственный университет путей сообщения».

ПОЯСНИТЕЛЬНАЯ ЗАПИСКА

Данные учебно-методические указания к практическим занятиям предназначены для студентов 2-х курсов СПО, обучающихся по специальности 23.02.01 Организация перевозок и управления на транспорте (по видам).

Данная разработка состоит из заданий, упражнений и текстов по темам История строительства, История строительства железных дорог, Строительные материалы, Типы транспорта, Типы поездов, Типы вагонов, Железнодорожные строительные профессии, Операции на железной дороге, Типы вагонов, Строительство мостов и тоннелей, Строительство метро. Данные учебно-методические указания к практическим занятиям реализуют общие и профессиональные компетенции: ОК1, ОК2, ОК3, ОК4, ОК5, ОК6, ОК7, ОК8, ОК9. В заключительной части учебнометодической разработки предложен краткий грамматический справочник.

Тексты заимствованы из учебной литературы.

Практические занятия направлены на экспериментальное подтверждение теоретических положений, отнесены наряду с другими к основным видам учебных занятий.

В результате изучения дисциплины «Иностранный язык» обучающийся должен:

знать: лексический (1200-1400 лексических единиц) и грамматический минимум, необходимый для чтения и перевода (со словарём) иностранных текстов профессиональной направленности.

уметь: общаться (устно и письменно) на иностранном языке на профессиональные и повседневные темы;

переводить (со словарём) иностранные тексты профессиональной направленности;

самостоятельно совершенствовать устную и письменную речь, пополнять словарный запас.

Обучающийся должен обладать общими и профессиональными компетенциями:

- OК 01. Выбирать способы решения задач профессиональной деятельности применительно к различным контекстам;
- OK 02. Использовать современные средства поиска, анализа и интерпретации информации, и информационные технологии для выполнения задач профессиональной деятельности;
- ОК 03. Планировать и реализовывать собственное профессиональное и личностное развитие, предпринимательскую деятельность в профессиональной сфере, использовать знания по финансовой грамотности в различных жизненных ситуациях;
 - ОК 04. Эффективно взаимодействовать и работать в коллективе и команде;
- ОК 05. Осуществлять устную и письменную коммуникацию на государственном языке Российской Федерации с учетом особенностей социального и культурного контекста;
- ОК 06. Проявлять гражданско-патриотическую позицию, демонстрировать осознанное поведение на основе традиционных общечеловеческих ценностей, в том числе с учетом гармонизации межнациональных и межрелигиозных отношений, применять стандарты антикоррупционного поведения;
- ОК 07. Содействовать сохранению окружающей среды, ресурсосбережению, применять знания об изменении климата, принципы бережливого производства, эффективно действовать в чрезвычайных ситуациях;
- OK 08. Использовать средства физической культуры для сохранения и укрепления здоровья в процессе профессиональной деятельности и поддержания необходимого уровня физической подготовленности;
- OK 09. Пользоваться профессиональной документацией на государственном и иностранном языках;

- ПК 1.1 Выполнять операции по осуществлению перевозочного процесса с применением современных информационных технологий управления перевозками.
- ПК 1.3 Оформлять документы, регламентирующие организацию перевозочного процесса.
- ПК 3.1 Организовывать работу персонала по обработке перевозочных документов и осуществлению расчетов за услуги, предоставляемые транспортными организациями.
- ПК 3.3 Применять в профессиональной деятельности основные положения, регулирующие взаимоотношения пользователей транспорта и перевозчика.

Content

1.	UNIT 1. The history of building	5
2.	UNIT 2. The history of railways.	10
3.	UNIT 3. Building materials.	13
4.	UNIT 4. Types of transport.	20
5.	UNIT 5. Types of trains.	22
6.	UNIT 6. Types of cars.	20
7.	UNIT 7. Bridges and tunnels construction.	2°
8.	UNIT 8. Tube construction.	32
Q	Grammar	3′

UNIT 1. The history of building.

1. a). Study information.

Types of affixes.

1. Affixes of nouns:

- ion / sion /-tion; -ure / -ture; -ment; -ance / -ence abstract nouns;
- er / -or denotes a job;
- -ing process;
- -ty / -ity; -ness property, attribute.

2. Affixes of adjectives:

- -ic; -able / -ible; -ant / -ent; -ive; -ous; -al; -ful presence of the characteristic expressed by stem;
- -less *lack of quality*;
- -un / -in / -ir / -il / -im opposite, not.

3. Affixes of verbs:

- ize from noun, to acquire the features of noun; re- (prefix) *again or back*.
- b). Find in the dictionary all meanings of the words. Construct all possible words adding any affixes.

Example: research – researcher (noun), construct – constructive (adjective), write - rewrite (verb).

1.	Engineer
2.	Build
3.	Application
4.	Construct
5.	Utilize

2. Use the table to construct statements about buildings and builders.

Her father	is	a builder.
Builder	are have	an honorable profession.
The builder's profession	has	many old bridges in our town.
There		pads to protect their hands.

	Ĵ	3. Read	l and	transi	late th	e fol	lowin	ig word	l comi	binati	ons	into .	Russi	an.
--	---	---------	-------	--------	---------	-------	-------	---------	--------	--------	-----	--------	-------	-----

1.	Profession of civil engineer
2.	Branches of civil engineering
3.	Utilization of materials and forces of nature
4.	To protect oneself against the elements
5.	Civil engineering
6.	Mechanical engineering
7.	Electrical engineering
8.	Nuclear engineering
9.	Mining engineering

10.	Military engineering	
	Marine engineering_	
12.	Sanitary engineering	

Civil Engineering

The word "engineering" means the art of designing, constructing, or using engines. But this word is now applied in a more extended sense. It is applied also to the art of executing such works as the objects of civil and military architecture, in which engines or other mechanical appliances are used. Engineering is divided into many branches. The most important of them are: civil, mechanical, electrical, nuclear, mining, military, marine, and sanitary engineering. While the definition "civil engineering" dates back only two centuries, the profession of civil engineer is as old as civilized life.

In order to understand clearly what civil engineering constitutes, let us consider briefly the development of different branches of engineering. Some forms of building and utilization of the materials and forces of nature have always been necessary for man. Man had to protect himself against the elements and sustain himself in the conflict with nature.

Up to about the middle of the 18th century there were two main branches of engineering - civil and military. The former included all those branches of the constructive art not directly connected with military operations and the construction of fortifications, while military engineering concerned itself with the application of science and the utilization of building materials in the art of war. But later there came a remarkable series of mechanical inventions, great discoveries in electrical science and atomic energy. It led to the differentiation of mechanical, electrical, nuclear engineering, etc.

Architecture, which up to the 18th century had been considered a branch of engineering had become a profession by itself. The term "civil engineering" has therefore two distinct meanings. In the widest and oldest sense it includes all non-military branches of engineering as it did two centuries ago. But in its narrower and at the present day more correct sense civil engineering includes mechanical engineering, electrical engineering, metallurgical, and mining engineering.

- 5. Answer the following questions.
- 1. What are the main branches of engineering?
- 2. What is civil engineering?
- 3. How old is the profession of civil engineer?
- 4. What are the fields of civil engineering?
- 6. Put these items of the plan in the order according to the content of the text above.
- 1. Two main branches of engineering.
- 2. The age of the profession of civil engineer.
- 3. The meaning of the word "engineering".
- 4. The widest and oldest sense of the term "civil engineering".
- 5. The consequences of inventions and discoveries.
- 7. Use these clichés to retell the text.

I'm going to retell
In the beginning of
I've known that

It was interesting to know that
Speaking of it turned out that
The fact that was new for me
It goes without saying that
Moreover (Furthermore)
To sum up
In conclusion
However

8. Read, translate and complete the dialogue.

Teacher: Today we are going to discuss the development of different branches of engineering. Can you name any?

Student: Yes, certainly. The most important of them are: civil, mechanical, electrical, nuclear, mining, military, marine and sanitary engineering.

Teacher: Let's remember the fields of civil engineering.

Student: In the whole, civil engineering makes housing, industrial construction; the construction of highways, city streets and railroads.

Teacher: Explain, please, the fields of mechanical and military engineering.

Student:....

9. Read and translate the text.

From the history of communications

Most people think of communications only when they want to get from one place to another. But communications are important to the national economy of a country. Without good roads and railways a country cannot develop its resources and industry. Without roads it is impossible to market agricultural produce.

Early man probably used the river as his first means of travel and communications. Here he was safe from the wild animals in the forests. Later, man began to develop roads. These at first would be no more than tracks across the mountains and paths through the forests. But very early in Europe we find the development of the amber trade, from the Baltic coast via the great rivers, such as the Rhine, Elbe and Danube, to the Mediterranean.

In Roman times, roads became important for military reasons. Today we have increased the ways of communication. Roads are still important, water, in the form of either rivers or seas, is useful for carrying bulky materials.

But to these we have added the railway and the airplane. Airplanes cannot carry a great deal in weight, and are used mainly for carrying mail, people, or important goods.

Although the future belongs to air transport the railways today still carry the bulk of passenger and goods traffic. Railway transport is still one of the cheapest ways of hauling freight over long distances.

Modern Soviet railways run a transcontinental passenger service. It rushes the traveler across two continents - Europe and Asia - in most convenient all-metal carriages. The dining-car will cater for all appetites. The luggage-van and the then existing machines could not cope with the ever increasing demands of the mines. The stationary steam engine invented by I. Polsunov in 1763 and installed at some plants paved the way for the introduction of steam as tractive power on railways.

The first steam locomotive in Russia was constructed by the Cherepanovs, father and son, who were considered to be the most skilled and most talented workmen of their time.

The first railway in Russia using steam traction was put into operation at the Nizhni Tagil metallurgical works. It was a short distance line covering only 854 m. It is to the Cherepanovs

that Russia owes the right to be placed among the countries which were the first to use steam as tractive power.

Some four years later, in 1837, the inauguration of the St. Petersburg - Tsarskoye Selo railway took place.

That very important railway line, which was 27 km, was soon followed, in 1851, by the construction of the St. Petersburg - Moscow line, 644 km in length. That was a first-class double-track railway line, which linked two large industrial and cultural centers - Moscow and St. Petersburg; 185 bridges and 19 viaducts were erected to make the line as straight and level as possible. P. P. Melnikov and N. O. Kraft, prominent engineers, were in charge of the construction work.

Notes

- 1. may be traced можно проследить
- 2. as far back as уже, еще
- 3. tram-ways вагонеточные пути
- 4. who suggested that cast iron rails should be used instead of trams который предложил использовать чугунные рельсы вместо деревянных (лежней)
- 5. to meet the needs удовлетворять потребности
- 6. to be superior превосходить
- 7. to time train movements составлять расписание поезда
- 8. to gain ground распространяться, усиливаться
- 9. the then existing существовавшие тогда
- 10. paved the way (зд.) проложил путь
- 11. the Cherepanovs Черепановы

10	\sim 1.	1		• .1	• 1 4	• • • • • • • • • • • • • • • • • • • •
10.	Complete	eacn	sentence	wun	rıgnı	variani.

1.	Early man used (trees, rivers, bridges) as his first means of
	communications.
2.	In Roman times, roads became important for (economical, traveling,
	military) reasons.
3.	The future belongs to (air transport, railways, sea transport).
	The first railway in Russia with steam traction was put into operation at the
	(Tsarskoye Selo, Nizhni Tagil, Moscow) metallurgical works.
5.	The inauguration of the St. Petersburg - Tsarskoye Selo railway took place in
	(1851, 1763, 1837).
11. Co	implete the sentences.
1.	Without good roads and railways a country cannot
2.	Airplanes cannot carry
3.	Railway transport is still

12. Answer the following questions.

1. What does the communication system include?

4. It is to the Cherepanovs which were the first

2. Why do railways still stay one of the most important ways of communications today?

of

- 3. Who was the constructor of the first steam locomotive in Russia?
- 4. What do you prefer to travel by?

13	II_{SP}	correct f	orms	of ad	liectives
15.	USE	correctj	OTTIG (oj au	jecuves

1.	Civil, mechanical, electrical, nuclear, mining, military engineering branches are
(impor	tant) ones.
2.	Civil engineering is (old)than nuclear one.
	Railway transport is still one of (<i>cheap</i>) ways of hauling freight over long distances.
4.	The line covering 854 m. is much (<i>short</i>) than distance line in 644 km. Nowadays air transport is (<i>fast</i>) way of communication.
14. Cl	hoose the correct forms of verbs.
	ring the last hundred years many new methods of building
a) h	as been discovered, b) have been discovered, c) will has been discovered
	e of the most recent discoveries the usefulness of steel as a building material. b) were, c) be
	wadays it often necessary to have a very fast transport. (b) are, c) were

The railway is a good example of a system evolved in various places to fulfill a need and then developed empirically. In essence it consists of parallel tracks or bars of metal or wood, supported transversely by other bars — stone, wood, steel and concrete have been used — so that the load of the vehicle is spread evenly through the substructure. Such tracks were used in the Middle Ages for mining tramways in Europe; railways came to England in the 16th century and went back to Europe in the 19th century as an English invention.

The **history of rail transport** dates back nearly 500 years and includes systems with man or horse power and rails of wood or stone. Modern rail transport systems first appeared in England in the 1820s. These systems, which made use of the steam locomotive, were the first practical forms of mechanized land transport, and they remained the primary form of mechanized land transport for the next 100 years.

Ancient world

The earliest evidence of a railway found thus far was the 6 to 8.5 km long "Diolkos" wagonway, which transported boats across the Isthmus of Corinth in Greece since around 600 BC. Wheeled vehicles pulled by men and animals ran in grooves in limestone, which provided the track element, preventing the wagons from leaving the intended route. The Diolkos was in use for over 650 years, until at least the 1st century AD. The first horse-drawn wagonways also appeared in ancient Greece, with others to be found on Malta and various parts of the Roman Empire, using cut-stone tracks.

Wagonways or tramways are thought to have developed in Germany in the 1550s to facilitate the transport of ore tubs to and from mines, utilizing primitive wooden rails. The technology spread across Europe and had certainly arrived in Britain by the early 1600s.

By the eighteenth century, such wagonways and tramways existed in a number of areas. Ralph Allen, for example, constructed a tramway to transport stone from a local quarry to supply the needs of the builders of the Georgian terraces of Bath.

Because rails were smoother than roads, a greater quantity and tonnage of bulk goods such as coal and minerals could be carried, and without damage to highways. Naturally, a great deal of inventiveness was focussed upon improving the rails and reducing the degree of friction between wheel and rail. In the late 1760s, the Coalbrookdale Company began to fix plates of cast iron to the wooden rails. These (and earlier railways) had flanged wheels as on modern railways, but another system was introduced, in which unflanged wheels ran on L-shaped metal plates - these became known as plateways.

Steam power introduced

James Watt, a Scottish inventor and mechanical engineer, was responsible for improvements to the steam engine. This raised the possibility of a smaller engine, that might be used to power a vehicle, and he actually patented a design for a steam locomotive in 1784. The first railway steam locomotive was built in 1804 by Richard Trevithick, an English engineer born in Cornwall.

The Birth of the Railway

In 1812 Oliver Evans, a United States engineer and inventor, published his vision of what steam railways could become, with cities and towns linked by a network of long distance railways plied by speedy locomotives, greatly reducing the time required for personal travel and for transport of goods. Evans specified that there should be separate sets of parallel tracks for trains going in different directions. Railways quickly became essential to the swift movement of goods and labour that was needed for industrialization.

The first Russian railway

Russia was in need of improved transportation and geographically suited to railroads, with long flat stretches of land and comparatively simple land acquisition. The first steam

locomotive in Russia was constructed by the Cherepanovs, father and son, who were considered to be the most skilled and most talented workmen of their time.

The first railway in Russia using steam traction was put into operation at the Nizhni Tagil metallurgical works. It was a short distance line covering only 854 m. It is to the Cherepanovs that Russia owes the right to be placed among the countries which were the first to use steam as tractive power.

Some four years later, in 1837, the inauguration of the St. Petersburg - Tsarskoye Selo railway took place.

That very important railway line, which was 27 km, was soon followed, in 1851, by the construction of the St. Petersburg - Moscow line, 644 km in length. That was a first-class double-track railway line, which linked two large industrial and cultural centers - Moscow and St. Petersburg; 185 bridges and 19 viaducts were erected to make the line as straight and level as possible. P. P. Melnikov and N. O. Kraft, prominent engineers, were in charge of the construction work.

2. Translate the word combinations
parallel tracks or bars of metal or wood
load of the vehicle is spread
steam locomotive
mechanized land transport
wheeled vehicles pulled by men and animals
horse-drawn wagonways
cut-stone tracks
ore tubs
tonnage of bulk goods
to fix plates of cast iron to the wooden rails
long flat stretches of land
the most skilled and most talented workmen
inauguration
double-track railway line
3. Choose the correct variant and complete the sentences
1. it consists of (crossing, parallel, formless) tracks or bars of metal or wood
supported transversely by other bars.
2 (the St. Petersburg - Moscow line, the St. Petersburg - Tsarskoye Selection (the St. Petersburg - Tsarsko
railway, the London - Manchester line) was a first-class double-track railway line, which
linked two large industrial and cultural centers.
3 (Melnikov, Evans, Watt) specified that there should be separate sets of
parallel tracks for trains going in different directions.
4. The first railway steam locomotive was built in (1851, 1837, 1804) by Richard
Trevithick, an English engineer born in Cornwall.
5. The first horse-drawn wagonways also appeared in ancient (Greece, Egypt
Rus).
4. Complete the sentences
1, a United States engineer and inventor, published his vision of what
steam railways could become,
2 were erected to make the line as straight and level as possible.
3. Russia was geographically suited to railroads, with long
flat stretches of land and comparatively simple land acquisition.
4. Railways quickly became essential to the swift that wa
needed for industrialization.
5. By the, such wagonways and tramways existed in a number of areas.

- 6. The first railway steam locomotive was built in ______, an English engineer born in Cornwall.
 - 5. Unscramble the words

nengei, tsmea, gwanayow, rtakc, wryalia, occnrtee, ivoenintn

- 6. Write out all the ed-forms and define their function
- 7. Answer the following questions
- 1. What does any railway consist of?
- 2. What tracks were used in the Middle Ages for mining tramways in Europe?
- 3. What systems does the history of rail transport include?
- 4. How long was the earliest railway found in ancient Greece?
- 5. Why could a greater quantity and tonnage of bulk goods be carried?
- 6. Who specified that there should be separate sets of parallel tracks for trains going in different directions?
- 7. Why was Russia in need of improved transportation and geographically suited to railroads?
 - 8. Explain the following dates
 - 600 BC, 1550s, 1784, 1804, 1812, 1820s, 1837, 1851
 - 9. Write the following words in the correct order to make sentences
 - 1. began, plates, wooden, company, fix, iron, of, to, rails, cast, to, the.
 - 2. developed, tramways, to, in, thought, are, have, Germany.
- 3. provided, the, vehicles, element, men, wheeled, by, in, pulled, and, ran, limestone, in, grooves, animals, which, track.

Building materials.

Building materials - natural and artificial material and products, used at the construction and building repair. Differences in the purpose and conditions to erecting and usages the buildings define varied requirements to the building materials and their extensive nomenclature.

Building materials are distinguished on strictly building materials and building products - ready details and elements, assembled in the building on the place of construction.

The list of building materials is extensive and varied. Alongside with traditional materials - ceramic, natural, stone, glass and other - in the modern construction broadly use new building materials on the base of metal.

At the building activity and erecting it is necessary in the first place to use local building materials (sand, gravel, lime, brick and others) that shorten transport expenses, forming much of the material cost. The greater value for cheapen building materials has a salvaging the departures of industry.

Requirements to the building material and products are kept in state sin formation on the building material, given its determination, specified raw material application, categorization, and division by the sort and marks, methods of test, condition of keeping and transporting.

Official document for builders is also "Building rates and rules", where are kept nomenclature and sizes of main building materials, requirements to their quality, instructions upon their choice and using depending on conditions of usages of raising building standards, standard specifications and other normative documents.

2. Read the sentences from the text with the verbs in Passive Voice, paraphrase them using Active Voice.

Example: This bridge is made of concrete. 1) It is the concrete bridge		
2). They made this bridge of concrete.		
	 	
	 	
3. Write out the names of natural and artificial building materials.1. natural building materials:		
 natural building materials: artificial building materials: 		

4. Read and translate the text.

Properties of materials.

Density (specific weight) is the amount of mass in a unit volume. It is measured in kilogram per cubic meter. The density of water is 1000 Wm³ but most materials have a higher density. Aluminium alloys, with typical densities around 2800 kg/m³ are considerably less dense than steels, which have typical densities around 7800 kg/m³. Density is important in any application where the material must not be heavy.

Stiffness (rigidity) is a measure of the resistance to deformation such as stretching or bending. The Young modulus is a measure of the resistance to simple stretching or compression. It is the ratio of the applied force per unit area (stress) to the fractional elastic deformation (strain). Stiffness is important when a rigid structure is to be made.

Strength is the force per unit area (stress) that a material can support without failing. The units are the same as those of stiffness, but in this case the deformation is irreversible. The yield strength is the stress at which a material first deforms plastically. For a metal the yield strength may be less than the fracture strength. It is the stress at which it breaks. Many materials have a higher strength in compression than in tension.

Ductility is the ability of a material to deform without breaking. One of the great advantages of metals is their ability to be formed into the shape that is needed, such as car body parts. Materials that are not ductile are brittle.

Toughness is the resistance of a material to breaking when there is a crack in it. For a material of given toughness, the stress at which it will fail is inversely proportional to the square root of the size of the largest form present. Toughness is different from strength. For example, the toughest steels are different from the ones with the highest tensile strength. Brittle materials have low toughness. For example, glass can be broken along a chosen line by first scratching it with a diamond. Composites can be designed to have considerably greater toughness than their constituent materials.

Creep resistance is the resistance to a gradual permanent change of a shape, and it becomes especially important at higher temperatures. A successful research has been made in materials for machine parts that operate at high temperatures and under high tensile forces without gradually extending. For example, they can be the parts of plane engines.

1		
2		
3.		
4. ¯		
5. ¯		

5. Name all properties of materials.

6. Match the following words with their Russian equivalents:

1	density	a	вес
2	weight	b	количество
3	a volume	c	объем
4	an amount	d	плотность
5	stiffness	e	жесткость
6	rigidity	f	твердость
7	a force	g	сила
8	strength	h	прочность

```
1 _____, 2 _____, 3 _____, 4 _____, 5 _____, 6 _____, 7 _____, 8 _____.
```

7. Make up your own sentences with the words from above.

8. Find out 8 words:

x s t i f n e s s i

u	d	e	f	0	r	m	S	t	d
W	i	Z	u	r	0	0	a	r	g
p	e	e	r	c	W	Z	y	e	e
X	i	S	t	e	e	1	0	n	h
W	y	0	0	1	1	a	Z	g	g
S	S	e	n	h	g	u	0	t	n
f	r	a	c	t	u	r	e	h	c

- 1. ______ 2. _____
- 4.
- 5. _____
- 6. _____
- 7.
- 8. _____
- 9. Read the text and answer the following questions.
- 1. Is density (specific weight) the amount of mass in a unit volume?
- 2. Is it measured in kilograms per cubic meter?
- 3. Is density important in any application where the material must not be heavy?
- 4. Is stiffness (rigidity) a measure of the resistance to deformation such as stretching or bending?
- 5. Is strength the force per unit area (stress) that a material can support without failing?
- 6. Is toughness the resistance of a material to breaking when there is a crack in it?
- 7. Is creep resistance the resistance to a gradual permanent change of shape?

10. Read the text again and complete the following sentences:

- 1. Aluminium alloys, with typical densities around......are considerably less dense than steels, which have typical densities around.......
 - 2......is important in any application where the material must not be heavy.
 - 3. The Young modulus is a..... to simple stretching or compression.
 - 4. It is the ratio of the applied force per unit area (stress) to the.....
 - 5. The yield strength is the stress at which a
- 6. For a metal the yield strength may be which the stress at which it breaks is; many materials have a..... tension.
 - 7. One of the great advantages of metals is..... such as car body parts.
 - 8. Materials that are not ductile are.....
 - 9. Toughness is the...... of a material to breaking when there is a crack in it.
- 10.is a measure of the resistance to deformation such as stretching or bending.
- 11. Read the following statements and tell whether they are true or false. Correct all false statements.
 - 1. Density (specific weight) is not the amount of mass in a unit volume.
- 2. Aluminium alloys, with typical densities around 3000 kg/m³ are considerably less dense than steels, which have typical densities around 7800 kg/m³.
 - 3. Density is not important in any application where the material must not be heavy.
 - 4. The Young modulus is a measure of the resistance to simple stretching or compression.

- 5.It is the ratio of the applied force per unit area (stress) to the fractional elastic deformation (strain).
 - 6.Strength is the force per unit area (stress) that a material can support without failing.
 - 7. Many materials have not a higher strength in compression than in tension.
 - 8. Ductility is the ability of a material to deform without breaking.
 - 9. Toughness is the resistance of a material to breaking when there is a crack in it.
 - 10. It is measured in a kilogram per cubic meter.

10	D 4 41	C 11 .		•	1		C
12.	Put the	touowing	sentences i	n negauve	ana inte	erroganive i	torm:

1.	Density	(specific	weight)	is	the	amount	of	mass	in	a	unit
	volume										-
2.	Stiffness (rigidity) i	s a measure	of the	resista	ince to def	ormati	on such	as str	etchir	ng or
	bending										
3.	Toughness	s is the	resistance of	f a ma	terial	to breaki	ng wh	en there	is a	crac	k in
	it										_
4.	Ductility	is t	he ability	of of	a	materia	ıl to	defe	orm	wit	thout
	breaking										_
5.			per unit area				al can	support	witho	ut fai	ling.
13	. Make up s	entences.									
			ortant, applic								
2. i	mportant,	a, is,	stiffness,	rigid	, str	ucture,	is, to	, whe	n, 1	mad,	be
3. f	rom, tough	ness, is, s	trength, diffe	erent							
			terials, tough								
5. a	a, many,	in, r	naterials,							n,	than,

Brick

A brick is best described as "a building unit". It may be made of burnt clay, of concrete, of mortar or of a composition of sawdust and other materials; in shape it is a rectangular solid and its weight is from 6 1/2 to 9 pounds.

The shape and convenient size of a brick enables a man to grip it with an easy confidence and, because of this, brick-building has been popular for many hundreds of years. The hand of the average man is large enough to take a brick and is able to handle more than 500 bricks in an eight-hour working day.

It is necessary, therefore, for the "would-be" bricklayer to practice handling a brick until he can control it with complete mastery and until he is able to place it into any desired position.

15. Answer the following questions.

- 1. What materials is brick made of?
- 2. Why brick-building has been popular for many hundreds of years?
- 3. What is the shape of a brick?
- 4. What is the brick's weight?

16. Find English equivalents from the text above.

 форма и размер кирпича
2. ширина кирпича,
3. строительство из кирпича,
4. из обожженной глины,
5. практиковаться в укладке,
б. достаточно большая,
7. с полным мастерством,
В. лучше всего характеризуется
 Make sentences using the words below. clay, a brick, of, can, made, be, burnt
3. A "would-be", a brick, must, bricklayer, until, practice, mastery, handling, control, with
he, complete can, it

18. Read and translate the text.

Prestressed concrete.

Prestressed concrete is not a new material. Its successful use has been developed rapidly during the last four decades, chiefly because steel of a more suitable character has been produced.

Concrete is strong in compression but weak when used for tensile stresses. If, therefore, we consider a beam made of plain concrete, it will at once be realized that the beam's own weight will cause the beam to "sag" or bend. This sagging at once puts the lower edge of the beam in tension, and if the cross-sectional area is small, causes it to break.

If, on the other hand, we use a beam of similar cross-section, but incorporate steel bars in the lower portion, the steel will resist the tensile stress derived from the sag of the beam, and thus assist in preventing it from breaking.

In prestressed concrete steel is not used as reinforcement, but as a means of producing a suitable compressive stress in the concrete. Therefore any beam (or member) made of prestressed concrete is permanently under compression, and is consequently devoid of cracks-under normal loading, or so long as the "elastic limit" is not exceeded. Prestressed concrete is not only used for beams but is now employed extensively for columns, pipes, and cylindrical water-towers, storage tanks, etc.

19. Choose correct variant and complete the sentences.

- 1. Prestressed concrete is ...
- a) a completely new building material, b) not really a new material
- 2. The successful use of prestressed concrete has been developed rapidly ...

- a) long ago, b) during the last four decades
- 3. Plain concrete is ...
- a) strong in compression, b) weak in compression
- 4. Plain concrete is ...
- a) weak when used for tensile stress, b) strong when used for tensile stress
- 5. Prestressed concrete is used ...
- a) only for beams, b) for beams, columns, pipes, etc.
 - 20. Complete the sentences.
- 1. Prestressed concrete has been used during
- 2. Plain concrete is strong in
- 3. The sagging of a beam made of plain concrete may cause it to
- 4. Incorporated steel bars in the lower portion of a beam prevent
- 5. A beam made of prestressed concrete is permanently under
- 6. Prestressed concrete is now employed extensively for
 - 21. Answer the following questions.
- 1. Is prestressed concrete a new building material?
- 2. How long has prestressed concrete been used in construction?
- 3. What disadvantages has plain concrete?
- 4. What is steel used in prestressed concrete for?
- 5. What will happen if "elastic limit" of a beam is exceeded?
- 6. What is prestressed concrete used for?

Ferrous and non-ferrous metals.

In general metals are used in various constructions and different industries. For example, thousands of miles of railway track. All metals are divided into ferrous and non-ferrous metals. Ferrous metals are iron and its alloys (steel, cast iron etc.). Especially ferrous metals are of great importance. Machine tools and machinery, steamships and locomotives, automobiles and aeroplanes, rails and bridges, razor blades are turned out by the steel industry.


Non-ferrous are metals and alloys the main component of which is not iron but another element. It may be copper, aluminium, zinc. That's why copper and aluminium are belonged to as non-ferrous metals. Non-ferrous metals are extracted from minerals such as magnesite (magnesium carbonate), tinstone (tin oxides) etc. Non-ferrous metals have some characteristics. They are: high electric and heat conductivity, high corrosion resistance, non-magnetic qualifies, light weight and easiness to fabrication.

23. Match the following words with their Russian equivalents:

1 non-ferrous metal	a	медь
---------------------	---	------

	2	an alloy	b	инструмент
	3	a railway	c	мост
	4	a network	d	цветной металл
	5	a tool	e	сплав
	6	a bridge	f	железная дорога
	7	copper	g	сеть
1, 2	,	3, 4, 5, 6		_, 7

24. Read the text again and complete the spidergram.



25. Complete the following sentences:

1. I	Ferrous metals					·
2			,			locomotives,
automol	biles and aeroplanes _			_		•
3	<u>-</u>	ar	e referred to	as non-ferrou	s meta	als.
4		_are divided into _				•
5. 1	In general,					•
6			have	some charact	eristic	2.5

26. Read the following statements and say whether they are right or wrong. Correct false statements.

- 1. Thousands of miles of railway track form an intricate network of steel over the world, helping to carry daily billions of freight for different industries.
- 2. Copper, aluminium and some other metals are not referred to non-ferrous metals.
- 3. All metals are divided into ferrous and non-ferrous metals.
- 4. Metals in general and especially ferrous metals are of great importance in various constructions.
- 5. Ferrous metals are iron and its alloys.
- 6. Non-ferrous metals are extracted from minerals such as magnesite, tinstone etc.

27. interrogativ	Put e form.	the	following	sentences	in	negative	and
1.All m	etals are d	livided int	o ferrous and no	on-ferrous metals	S		_
2. Ferr	ous metal	s are iron	and its alloys				<u> </u>
3.Ferro	is metals	are of grea	at importance in	various constru	ctions		-
4. Non-f	errous are	metals aı	nd alloys the ma	in component of	which is	s iron.	-
5.Coppe	er, alumin	ium and s	ome other metal	s are referred to	as non-f	errous metals	-

The coming revolution in transportation.

You ride toward the city at 90 miles an hour, glancing through the morning newspaper while your electrically powered car follows its programmed route on an automated "guideway". You leave your car at the city's edge - a parklike city without streets - and enter a small plastic "people capsule". Inside, you dial your destination on a sequence of numbered buttons and settle back. Smoothly, silently, your capsule accelerates to 80 miles an hour. Guided by a distant master computer, it slips down into the network of tunnels under the city and takes precisely the fastest route to your destination.

Far-fetched? Not at all. Every element of this fantastic system is already within range of our scientists' skills. Indeed, the system utilizes only a few of the exciting new people-moving machines that have reached or passed the experimental stage.

Automated highways - engineers call them guideways - are technically feasible today. General Motors successfully demonstrated an electronically controlled guidance system. A wire was embedded in the road, and two pick-up coils were installed at the front of a car to sense its position in relation of that wire. The coils sent electrical signals to the steering system, to keep the vehicle automatically on course. They tested a system that also controlled spacing and detected obstacles. It could slow down or stop an overtaking vehicle until the road was clear.

Other companies are also experimenting with guide ways. In some systems, the car's power comes from an electric transmission line built into the road. In others, vehicles would be carried on a high speed conveyer, or perhaps in a container.

Computer-controlled highways will almost surely become a reality, for when the human element is removed, vehicles can travel with greater safety at faster speeds, closer together. In fact, most experts believe that each lane of automated highway could move the traffic of three or four of today's uncontrolled lanes.

"People Places". And when all this comes true, will we drive into even more nightmarish traffic tangles on city streets? The answer to this was found in Sweden. As you stroll across a fountain-dotted plaza lined with attractive shops, you don't hear any traffic noise here; this is "a walking plaza", "a people place", and the key to its success is the network of tunnels beneath it. Down there, trucks are supplying the stores with merchandise, and a subway carry people to and from nearby Stockholm.

Underground Highways? Most transportation experts don't consider them extravagant at all. Improved boring methods laser beams, chemicals, water or flame jets - will make tunneling cheaper. Moreover, underground highways are not affected by weather, and they do not provoke the bitter debates that have erupted in many cities over the displacement of people by surface construction.

Many of the transportation authorities are enthusiastic about Stockholm's "walking plaza" concept. The idea is to provide for most of the people's needs in a more concentrated area, so that they have less reason to travel outside their own community.

Still, people must travel to their place of work - which is not necessarily near where they live - and this causes an almost universal problem in our cities. Some recent studies point toward solution. For example, a bus line picks up passengers practically at their doors (for a monthly charge) and carries them, directly to their place of work. In the future, such personalized computer services may be provided by mini-buses. One proposal calls for special metal plates connected to a central computer, installed throughout a neighborhood. When

someone pushes a plate, it signals the computer which orders the nearest mini-bus to pick him up.

- 2. Answer the following questions.
- 1. What will the city of the future look like?
- 2. Can you explain what an automated "guide way" mean?
- 3. What is a "people capsule"? Is it fantasy?
- 4. What is a small computer in the automated autos used for and where is it placed?
- 5. What are the advantages of automated highway lanes as compared with uncontrolled lanes?
- 6. How did the specialists in Sweden solve the transportation problem in the busy centre of the city?
- 7. What are the advantages of the underground highways as compared with the surface highways?
- 8. What services may be provided by mini-buses in the future city?
 - 3. Unscramble the words.

edawyugi	
stediotaion _	
leuscpa	
hielvec	
vorkepo	
ghdoonobrhi _	
telericc	

- 4. Make the following interrogative.
- 1. You leave your car at the city's edge and enter a small plastic "people capsule".
- 2. You dial your destination on a sequence of numbered buttons.
- 3. Other companies are also experimenting with guide ways.
- 4. Vehicles would be carried on a high speed conveyer or in a container.
- 5. You don't hear any traffic noise here.
- 6. Trucks are supplying the stores with merchandise.
- 7. This causes an almost universal problem in our cities.
- 8. A bus line picks up passengers practically at their doors.
- 9. Personalized computer services may be provided by mini-buses.
- 10. The computer orders the nearest mini-bus to pick him up.
 - 5. Translate sentences into English.

1.	Просматривая утреннюю газету
2.	Вы оставляете свою машину на окраине города
	• • • • • • • • • • • • • • • • • • • •
3.	Достигать 80 миль в час
4.	Посылать электрический сигнал
5.	Подземные шоссе не зависят от погоды
6.	Установленный в окрестностях
	Персональные компьютерные службы

6. Complete the sentences.

1.	You leave your car at the city's edge - a parklike city without streets - and
2.	Guided by a distant master computer, it slips
	The system utilizes only
	The coils sent electrical signals to
	When the human element is removed, vehicles can
6.	The key to success of "a people place" is
7.	Underground highways do not provoke

UNIT 5. Types of trains.

1. Read and translate the text.

Wagonways and tramways.

The earliest evidence of a wagonway, a predecessor of the railway, <u>found</u> so far was the 6 to 8.5 km long *Diolkos* wagonway, which <u>transported</u> boats across the Isthmus of Corinth in Greece since around 600 BC. Wheeled vehicles <u>pulled</u> by men and animals ran in grooves in limestone, which <u>provided</u> the track element, preventing the wagons from leaving the intended route. The Diolkos was in use for over 650 years, until at least the 1st century AD. The first horse-drawn wagonways also <u>appeared</u> in ancient Greece, with others to be found on Malta and various parts of the Roman Empire, <u>using</u> cut-stone tracks. They <u>fell</u> into disuse as the Roman Empire collapsed.

The earliest known record of a railway in medieval Europe is a stained-glass window in the Minster of Freiburg in Breisgau dating from around 1350.

In 1515, Cardinal Lang <u>wrote</u> a description of a funicular railway in Austria. The line originally used wooden rails and a hemp haulage rope, and <u>was operated</u> by human or animal power, through a tread wheel. The line still exists, in updated form, and is probably the oldest railway still to operate.

Wagonways (or 'tramways') are thought to have developed in Germany in the 1550s to facilitate the transport of ore tubs to and from mines, utilizing primitive wooden rails. Such an operation was illustrated in 1556 by Georgius Agricola. These used "Hund" carts with unflanged wheels running on wooden planks and a vertical pin on the truck fitting into the gap between the planks, to keep it going the right way. Such a transport system was used by German miners at Caldbeck, Cumbria, perhaps from the 1560s. The first true railway is now suggested to have been a funicular railway made at Broseley in Shropshire at some time before 1605. This carried coal for James Clifford from his mines down to the river Severn to be loaded on to barges and carried to riverside towns. Though the first documentary record of this is later, its construction probably preceded the Wollaton Wagonway, completed in 1604, regarded as the earliest British installation. This ran from Strelley to Wollaton near Nottingham. Another early wagonway is noted onwards. Huntingdon Beaumont (who was concerned with mining at Strelley) also laid down broad wooden rails near Newcastle upon Tyne, on which a single horse could haul fifty or sixty bushels (130–150 kg) of coal.

By the 18th century, such wagonways and tramways existed in a number of areas. Ralph Allen, for example, constructed a tramway to transport stone from a local quarry to supply the needs of the builders of the Georgian terraces of Bath. The Battle of Prestonpans, in the Jacobite Rebellion, was <u>fought</u> astride a wagonway. This type of transport spread rapidly through the whole Tyneside coal-field, and the greatest number of lines were to be found in the coalfield near Newcastle upon Tyne. Their function in most cases was to facilitate the transport of coal in chaldron wagons from the coalpits to a staithe (a wooden pier) on the river bank, whence coal could be shipped to London by collier brigs. The wagonways were engineered so that trains of coal wagons could descend to the staithe by gravity, being braked by a brakesman who would "sprag" the wheels by jamming them. Wagonways on less steep gradients could be retarded by <u>allowing</u> the wheels to bind on curves. As the work <u>became</u> more wearing on the horses, a vehicle known as a dandy wagon was introduced, in which the horse could rest on downhill stretches.

2. Translate the word combinations	
wagonway	
limestone	
intended route	
stained-glass window	
funicular railway	
hemp haulage rope	

unflanged wheels
vertical pin
to be loaded on to barges
collier brigs
to bind on curves
dandy wagon
downhill stretches
3. Choose the correct variant and complete the sentences
1. The earliest evidence of a (wagonway, tramway, wooden rails), a
predecessor of the railway, found so far was the 6 to 8.5 km long <i>Diolkos</i> wagonway.
2. In 1515, Cardinal Lang wrote a description of a funicular railway in
(Germany, Austria, the USA).
3. The first true railway is now suggested to have been a funicular railway made at
Broseley in Shropshire at some time before (1607, 1604, 1605).
4 (James Clifford, Ralph Allen, Cardinal Lang), for example,
constructed a tramway to transport stone from a local quarry to supply the needs of the
builders of the Georgian terraces of Bath.
5. The wagonways were engineered so that trains of (coal, oil, wood)
wagons could descend to the staithe by gravity.
4. Complete the sentences
1. This carried coal for to the river Severn to be loaded on to
barges and carried to riverside towns.
2. Wagonways (or 'tramways') are thought to facilitate the
transport of ore tubs to and from mines, utilizing primitive wooden rails.
3. The Battle of Prestonpans, in the Jacobite Rebellion, was
4. Wheeled vehicles pulled by men and animals ran in, which provided
the track element, preventing the wagons from
5. Wagonways on less steep gradients could be to bind on curves.
6. Though the first documentary record of this is later, its construction probably
preceded the Wollaton Wagonway, completed in installation.
5. Unscramble the words
meestlion, gowan, nifucarul, aamtrwy, owdnilhl, hlaaeug
6. Write down 4 forms of the underlined verbs
7. Explain the following dates
the 1st century AD, 1350, 1515, 1556, 1605, by the 18th century
8. Write the following words in the correct order to make sentences
1. are, to, have, from, wagonways, utilizing, Germany, developed, in, in, rails, to,
facilitate, the, transport, of, ore, tubs, thought, to, and, mines, primitive, the 1550s, wooden.
2. the, horse-drawn, also, ancient, appeared, in, with, others, found, on, first, tracks,
Malta, and, various, parts, wagonways, of, the Roman, Greece, Empire, using, to be, cut-
stone.
3. work, as, the, rest, became, the, downhill, horses, wearing, dandy, was, introduced,
on, a wagon, in, which, the horse, could, more, on, stretches.

Streetcars - Cable Cars.

On January 17, 1871, San Franciscan Andrew Smith Hallidie patented the first cable car, ultimately <u>sparing</u> many horses the excruciating work of moving people over that city's steep roadways. Using metal ropes he had patented, Hallidie <u>devised</u> a mechanism by which cars were <u>drawn</u> by an endless cable running in a slot between the rails which passed over a steam-driven shaft in the powerhouse. After gathering financial backing, Hallidie and his associates constructed the first cable railway.

The track ran from the intersection of Clay and Kearny Streets along twenty-eight hundred feet of track to the crest of a hill 307 feet above the starting point. At five o'clock on the morning of August 1, 1873, a few nervous men climbed aboard the cable car as it stood on the hilltop. With Hallidie at the controls, the car descended and arrived safely at the bottom. Given San Francisco's steep terrain, the cable car came to define the city. Writing in 1888, Harriet Harper declared: "If any one should ask me what I consider the most distinctive, progressive feature of California, I should answer promptly, its cable-car system. And it is not alone its system which seems to have reached a point of perfection, but the amazing length of the ride that is given you for the chink of a nickel. I have circled this city of San Francisco, I have gone the length of three separate cable lines (by means of the proper transfers) for this smallest of Southern coins."

The success of the San Francisco line <u>led</u> to the expansion of that system and the introduction of street railways in many other cities. By the 1920s, most United States municipalities had abandoned horse drawn cars for electrically powered cars.

History of the Streetcar

The first mass transportation vehicle in America <u>was</u> called an omnibus. It looked like a stagecoach and was pulled by horses. The first omnibus to operate in America began running up and down Broadway in New York City in the year 1827. It was owned by Abraham Brower, who also helped <u>organize</u> the first fire department in New York. There had long been horse-drawn carriages in America to <u>take</u> people where they wanted to go.

What was new and different about the omnibus was that it ran along a certain designated route and <u>charged</u> a very low fare. People who wanted to <u>get</u> on would wave their hand in the air. The driver sat on a bench on top of the omnibus at the front, like a stagecoach driver. When people who were <u>riding</u> inside wanted to get off the omnibus, they pulled on a little leather strap. The leather strap was connected to the ankle of the person who was <u>driving</u> the omnibus. Horse-drawn omnibuses ran in America cities from 1826 until about 1905.

The first important improvement over the omnibus was the streetcar. The first streetcars were also pulled by horses, however, instead of riding along a regular street, the streetcars rolled along special steel rails that were placed in the middle of the street. The wheels of the streetcar were also <u>made</u> out of steel, carefully manufactured in such a way that they would not roll off the rails. A horse-drawn streetcar was much more comfortable than an omnibus and a single horse could also pull a streetcar that was much larger, and carried more passengers, than an omnibus. The first streetcar <u>ran</u> along Bowery Street in New York, and <u>began</u> service in the year 1832. It was owned John Mason, a wealthy banker, and built by Irishmen, John Stephenson. Stephenson's New York company would <u>become</u> the largest and most famous builder of horse-drawn streetcars.

The second American city to have streetcars was New Orleans, Louisiana, in the year 1835. The typical American streetcar was <u>operated</u> by two crew members. One man, a driver,

rode up front. His job was to drive the horse, controlled by a set of reigns. The driver also had a brake handle that he could use to stop the streetcar. When streetcars got bigger, sometimes two and three horses would be used to haul a single car. The second crew member was called the conductor, who rode at the back of the car. His job was to help passengers get on and off the streetcar, collect their fares, and give a signal to the driver when everyone was on board and it was safe to proceed. He gave this signal by pulling on a rope that was attached to a bell at the other end of the car that the driver could hear.

The first major attempt to develop a machine that could replace horses on America's streetcar lines was the cable car in 1873. Cable cars were hauled by a long cable that moved slowly under a city's streets. To convert a streetcar line from horse cars to cable cars required digging a ditch between the rails and building a chamber under the track from one end of the line to another. This chamber was called a vault. When the vault was finished, a small opening was left at the top of the vault. Then a long cable was placed inside the vault. The cable ran under city streets from one end of the streetcar line to the other. The cable was spliced into a big loop and was kept moving by a huge steam engine with massive wheels and pulleys that was located in a powerhouse at the side of the street. The cable cars themselves were equipped with a device that extended down below the car into the vault and allowed the operator of the car to latch onto the moving cable when he wanted the car to go, or let go of the cable when he wanted the car to stop. There were many pulleys and wheels inside the vault to make sure the cable was able to go around corners, as well as up and down hills.

The first cable cars ran in San Francisco. The largest and busiest fleet of cable cars in America were in Chicago. Most large American cities had one or more cable car lines by the year 1890. Frank Sprague installed a complete system of electric streetcars in Richmond, Virginia, in 1888. This was the first large scale and successful use of electricity to run a city's entire system of streetcars. Sprague was born in Connecticut in 1857. In 1878 he graduated from the United States Naval Academy in Annapolis, Maryland, and began a career as a naval officer. He resigned from the navy in 1883 and went to work for Thomas Edison. After 1888, many cities turned to electric-powered streetcars. To get electricity to the streetcars from the powerhouse where it was generated, an overhead wire was installed over city streets. A streetcar would touch this electric wire with a long pole on its roof. Back at the powerhouse, big steam engines would turn huge generators to produce the electricity needed to operate the streetcars. A new name was soon developed for streetcars powered by electricity; they were called trolley cars.

2. Unscramble the words

trseetrca, gerenorat, pleyul, peatnt, pceerod, stacogeach, niombsu, gnrei, pohouwerse.

3. Translate the words into Russian

Streetcars, cable cars, trolley cars, excruciating, ropes, devised, slot, steam-driven shaft, powerhouse, intersection, crest, hilltop, cable-car system, chink of a nickel, expansion, stagecoach, horse-drawn carriages, fare, leather strap, ankle, ride up, a set of reigns, brake handle, to proceed, bell, ditch, chamber, vault, loop, pulleys, latch, fleet of cable cars, wire, generators.

4. True or false?

- On January 17, 1771, San Franciscan Andrew Smith Hallidie patented the first cable car,

- The track ran from the intersection of Clay and Kearny Streets along thirty-eight hundred feet of track to the crest of a hill 307 feet above the starting point.
 - Omnibus looked like a stagecoach and was pulled by horses.
- The leather strap was connected to the ankle of the person who was driving the omnibus.
- The first streetcars were also pulled by men, however, instead of riding along a regular street, the streetcars rolled along special iron rails that were placed in the middle of the street.
- The first streetcar ran along Bowery Street in New York, and began service in the year 1932.
 - The typical American streetcar was operated by two crew members.
 - The second crew member was called the conductor, who rode at the front of the car.
 - A vault was a chamber under the track from one end of the line to another.
 - The largest and busiest fleet of cable cars in America were in New York.
- A new name was soon developed for streetcars powered by electricity; they were called trolley cars.
 - 5. Explain the following dates

1826, 1827, 1832, 1835, 1857, 1871, 1873, 1878, 1883, 1888, 1890, 1905, 1920s

- 6. Write down 4 forms of the underlined verbs
- 7. Define the tense

had patented, constructed, shall ask, have reached, is given, have circled, had abandoned, was called, will have pulled, were owned, had been, will wave, were riding, was connected, is driving, are pulled, will be placed, will roll, began, become, will be used, give, was born, will be generated, were touch.

8. Turn the Active Voice into the Passive

had patented, draw, constructed, ask, have reached, give, called, pulled, will organize, will take, were riding, has connected, have placed, carried, is controlling, are using, collect, develop, replaced, have convert, finished, kept, located, has installed, is generating

9. Define the degree of comparison

less nervous, the safest, more progressive, amazing, the smallest, lower, regular, more comfortable, larger, the largest, the most famous, bigger, slower, long, huge, the busiest, complete, the least successful

Early bridges.

Bridges are structures built over a river, railroad track, road, lakes, ravines, canyons, highways or some other obstacle. They allow people or vehicles to cross from one side to another.

Bridges must be built strong enough to safely support their own weight as well as the weight of the people and vehicles that pass over it. The bridge must also withstand natural occurrences that include weathering, earthquakes, strong winds, and freezing and thawing.

There's no doubt you've seen a bridge, and it's almost as likely that you've traveled over one. If you've ever laid a plank or log down over a stream to keep from getting wet, you've even constructed a bridge. Bridges are truly ubiquitous -- a natural part of everyday life. The type of bridge used depends on various features of the obstacle. The main feature that controls the bridge type is the size of the obstacle. How far is it from one side to the other? This is a major factor in determining what type of bridge to use.

In ancient times the first bridges made by humans were probably spans of wooden logs or planks and eventually stones, using a simple support and crossbeam arrangement.

Some early Americans used trees or bamboo poles to cross small caverns or wells to get from one place to another. A common form of lashing sticks, logs, and deciduous branches together involved the use of long reeds or other harvested fibers woven together to form a connective rope which was capable of binding and holding in place materials used in early bridges.

The greatest bridge builders of antiquity were the ancient Romans. The Romans built arch bridges and aqueducts that could stand in conditions that would damage or destroy earlier designs. The Romans built long, arched spans, many of which are still standing. The Romans also used cement, which reduced the variation of strength found in natural stone. Brick and mortar bridges were built after the Roman era, as the technology for cement was lost then later rediscovered.

Rope bridges, a simple type of suspension bridge, were used by the Inca civilization in the Andes Mountains of South America, just prior to European colonization in the 1500s.

Bridges built during the Middle Ages usually rested on crude stone arches with heavy <u>piers</u> (intermediate supports) that were a great obstruction to river traffic, and their roadways were often lined with small shops.

The best known early American design is the New England covered bridge. Colonial American bridge builders were willing to run the risk of rot or fire in exchange for such savings in time and manpower. Beginning with Abraham Darby's bridge at Coalbrookdale in 1779, most bridges began to be built of cast and wrought iron. Robert Stephenson, an English engineer, designed and built a bridge of this type across Menai Strait in North Wales (1850). Another is Victoria Bridge across the St. Lawrence at Montreal. The disadvantage of cast iron for bridges is its low tensile strength. During the 18th century there were many innovations in the design of timber bridges by Hans Ulrich, Johannes Grubenmann, and others.

With the Industrial Revolution in the 19th century, truss systems of wrought iron were developed for larger bridges, but iron did not have the tensile strength to support large loads. With the advent of steel, which has a high tensile strength, much larger bridges were built, many using the ideas of Gustave Eiffel.

2. Put a question tag.

	The bridge must withstand natural occurrences that include weathering, earthquakes, winds,?
2.	The main feature that controls the bridge type is the size of the obstacle,
	?
3.	The greatest bridge builders of antiquity were the ancient Romans,?
4.	Cement reduced the variation of strength found in natural stone,?
5.	Since 1779 most bridges began to be built of cast and wrought iron,?
6.	Robert Stephenson designed and built a bridge of this type across Menai Strait,?
7.	During the 18th century there were many innovations in the design of timber,?
8.	Iron did not have the tensile strength to support large loads,?
9.	Steel has a high tensile strength,?

3. Translate the following words.

1	ravine	14	fiber
2	obstacle	15	rope
3	withstand	16	mortar
4	span	17	suspension
5	log	18	crude
6	plank	19	pier
7	ubiquitous	20	rot
8	crossbeam	21	wrought iron
9	reed	22	cast iron
10	bamboo poles	23	tensile
11	cavern	24	truss system
12	deciduous	25	lashing

4. Match the parts of word combinations.

1	railroad	a	weight
2	to support	b	a plank
3	natural	c	civilization
4	to lay	d	track
5	to cross	e	bridges
6	mortar	f	caverns

7	Inca	g	occurrences
	5. Make up your own senter	ices w	vith them.
time.	6. Write out from the text of	above	the events which took place in the indicated period of
1.	The Roman era		
2.	The Middle Ages		
3.	Since 1779		
4.	The Industrial Revolution		
	7. Answer the following ques	tions.	
1.	What is a bridge by defini	tion?	
2.	Why must bridges be stro	ng en	ough?
3.	Were bridges a natural pa	rt of a	antique people's life?
4.	Why were the Romans di	fferen	t in building bridges?
5.	What civilization used rop	oe bric	dges?
6.	What were Darby's bridge	es mac	de of?
7.	Was low tensile strength of	of cast	t iron for bridges advantage or disadvantage?
8.	Did iron have the tens Revolution?	ile sti	rength to support large loads during the Industrial
	8. Fill in the blanks using th	ie woi	rds below.
	ans, obstacle, humans, cenes, many, ancient.	tury,	wooden, wet, cement, stone, plank, feature, timber,
			over a river, railroad track, road etc. or log down over a stream to keep from getting
3.	The main	that co	ontrols the bridge is the size of the
4.		first	bridges made by were probably spans of
5.			, which reduced the variation of strength
(found in natural		thomo vyomo
0.	=		there were innovations in the design of Ulrich and others.

- 9. Read the text again. Entitle each part.
- 10. Retell the text above.
- 11. Translate the text into English.
- В России первые железные мосты появились в 1780-е г.г. и отличались от европейских тем, что были большей частью именно железными, а не чугунными. Один

из них был сделан по проекту Дж. Кваренги для парка в Царском селе. Затем последовала серия мостов, изготовленная на Сестрорецком оружейном заводе. Два железных моста 1793-1794 находятся в Таврическом саду в Петербурге. Эти памятники инженерного искусства лишь по случайности удалось спасти от сноса - совершенство их конструкции таково, что долгое время их считали произведениями значительно более позднего времени.

В начале XIX в. в Петербурге появляется новый тип мостов - "из полых чугунных ящиков", первым из которых был "Бердов мост" (1805-1806) на одном из притоков Невы. В 1807 г. Гесте составил для Петербурга первый в мире образцовый проект чугунного моста и в 1810-20-е гг. в городе появилось около десяти этих сооружений, казавшихся в то время необычно легкими.

Первое десятилетие XIX в. стало временем возникновения мостов вантовой конструкции (или американо-европейской системы); начало их строительству было положено американцем Джоном Фидлеем, юристом по образованию, рассматривавшим строительство мостов как дополнительное средство заработка. В это же время идея вантового моста пришла в голову архитектора Витберга. Интересен факт отсутствия точных расчетов конструкции в первых железных мостах. До 1820-х гг. расчеты заменялись моделью в 1/3 величины реальной постройки, что объясняется неустойчивостью качества выплавки железа в ранний период.

- 12. Come up with the best title for the text above.
- 13. Read and translate the text.

The mystery of the tunnels of South America.

Recently, Erick von Daniken reported that he'd had been in a network of tunnels that run for thousands of miles beneath the South American continent. He saw immense rooms filled with metallic plaques. They constitute a possible record of the ancient world. The first knowledge about these immense underground tunnels came when the Conquistadores invaded ancient South America.

It is believed by some treasure hunters that the llama loads of gold were hidden in these ancient tunnels. Indian legends say the gold was secreted "in such a place that even we do not know the location."

Among the artifacts that vanished were the mummified bodies of thirteen Inca emperors. They had sat on golden chairs in the Temple of the Sun, the chairs resting on a huge slab of gold. The mummified remains of Inca rulers were placed around the temple decorated with golden jewelry and precious stones. Near the mummies were large gold plates engraved with a picture of the Inca as they appeared during life.

The important buildings in the Coricancha were connected by underground tunnels with the fortress. Entrances to these tunnels started at the Chincana, "the place where one gets lost." Too many adventurous treasure hunters were going in to the caverns and disappearing.

The masonry is for the most part, as solid as if built only a few years ago, and the passages are so extensive that we were able to spend the whole day exploring the recesses of this building which must have been reared three thousand years ago. No such walls are built in that region today. In a place where four corridors meet stands the famous idol of Chavin.

Rumors of these massive tunnels were so persistent during the 1850's that a viceroy of Peru decided to find the entrance. An expedition was outfitted and sent to find an entrance into the subterranean passages.

The tunnels started at Cuzco and ran underground to Lima, a distance of around 380 miles by air. At Lima the tunnels turn southward into what is now modern Bolivia. This is a distance of some thousand miles!

We can assume that the ancient builders of the tunnels anticipated possible grave robbers. They probably created a deadly trap for unwary ghouls.

The concept of vast underground passages is enough to boggle the mind. That such tunnels could be constructed indicates a science in pre-Inca or Inca days. It means there was a technology capable of building a labyrinth beneath the earth.

And for what purpose? It is one thing to construct an underground shelter in the event of a catastrophe. Such a cavern, man-made or naturally formed, would provide safe refuge against an impending disaster. To construct tunnels that run for a hundred or a thousand miles beneath the South American continent is beyond the boundaries of present knowledge. Exactly who built the tunnel and why, remains a mystery.

Perhaps the mystery of the tunnels will be solved someday in the future. Until then, we might consider that these structures were probably in South America prior to the reign of the Incas. Some scholars have suggested that the tunnels were built by the Atlaneans. Others have speculated that an unknown race that existed before the flood constructed the tunnels.

14. Transcribe the following words.

- 1. tunnel
- 2. beneath
- 3. ancient
- 4. treasure
- 5. mummified
- 6. precious
- 7. adventurous
- 8. subterranean
- 9. southward
- 10. assume
- 11. ghoul
- 12. science
- 13. labyrinth
- 14. catastrophe
- 15. boundaries

15. Answer the following questions.

- 1. What is your impression of the text?
- 2. Why is the text called as the mystery of tunnels?
- 3. What remained in the tunnels?
- 4. What do the scientists say about the manner of building and decorating of these tunnels?
- 5. Is it known exactly now what purpose did the ancients have to build the tunnels?
- 6. What points of views exist among the scientists on the subject of purpose of building tunnels?

16. Put the verbs in brackets in suitable tense-form.

A tunnel (to be) an underground passageway for trains or automobiles, through or
under an obstruction, as a city, mountain, river, harbor, or the like. It (to be) also an
approximately horizontal gallery or corridor in a mine.
The definition of what constitutes a tunnel (to be) not universally agreed upon.
However, in general tunnels (to be) at least twice as long as they (to be) wide.
In addition, they should be completely enclosed on all sides, save for the openings at each
end. Some civic planners (to define) a tunnel as 0.1 miles (0.16 km) in length or
longer, while anything shorter than this should be called an underpass or a chute.

A tunnel may (to be) for pedestrians or cyclists, for general road traffic, for motor
vehicles only, for rail traffic, or for a canal. Some (to be) aqueducts, constructed
purely for carrying water — for consumption, for hydroelectric purposes or as sewers —
while others (to carry) other services such as telecommunications cables. There
(to be) even tunnels designed as wildlife crossings for European badgers and other
endangered species. Some secret tunnels also (to make) as a method
of entrance or escape from an area. Some tunnels (to be) not for transport at all but are
fortifications.
In the United Kingdom a pedestrian tunnel or other underpass beneath a road (to
call) a subway. This term (to use) in the past in the United States, but now (to
refer) to underground rapid transit systems.
The central part of a rapid transit network usually (to build) in tunnels. To
allow non-level crossings, some lines (to run) in deeper tunnels than others. Rail
stations with much traffic usually (to provide) pedestrian tunnels from one platform
to another, though others (to use) bridges.

The use of underground space in big cities.

At a conference held in Tokyo in 1974 leading representatives of New York, London, Paris, Moscow and Tokyo met to discuss the problems of the World's Great Cities.

The representatives spoke of the extremely rapid intensification of urban space density, of the absolute shortage of services, sewers, roads and other urban facilities as well as new urban problems.

In this connection the exploration of urban subspace for the movement of goods, freight, persons has become vitally important.

Moscow has a total and comprehensive view of the subsurface: the use of underground space in cities like Moscow, where there is a considerable number of historical architectural structures of value, especially in the central part, is the way towards solving the transportation problem.

The complex scheme of utilizing underground space which has been worked out, involves an underground network of tunnels for cars under the central part of the city, duplicating the surface transportation network as well as underground garages.

New York too has a vast and expanding transport system carrying some 7.5 million people each business day.

The simple statistics that the subways of New York alone carry more passengers than all US domestic airlines combined show the great importance of transportation underspace.

2. Find the explanation of these words in vocabulary.

1.	representative
2.	intensification
3.	density
4.	sewer
	facility
6.	exploration
7.	freight
	network
9.	duplicate
	expand
11	domestic

3. Make up your own sentences with them.

4. Fill in the table.

Noun	Verb
leader	
	to discuss
intensification	
	to serve
shortage	
	to move
connection	
	to expand

explora	ation				
		to combine			
5	5. Write out all ing-forms and tell what part of speech they are.				
6	. Answer the following questions.				
2. 3. 4. 5. 6.	 Who met in Tokyo to discuss the problem of big cities? What was the problem discussed by the representatives? Has the exploration of urban space or subspace become vitally important? Why does the use of underground space in big cities seem the real way out of the problem? How do the scientists present us the scheme of utilizing subsurface? Do the New York subways carry fewer passengers than all US airlines? Do you suppose the underground tunnels are important for nowadays cities and why? 				
7	. Choose the right variant.				
	A conference was held in				
	2. There weren't any representatives of at the conference. a. Paris; b. Washington; c. Moscow; d. Rome.				
	The discussed topic was the exploration on airspace; b. urban subspace; c. urban				
	The complex scheme of utilizing subspacerground houses; b. underground pubs;				
	5. Each day New York transport system carries more a. 7,5 million people; b. 7,5 thousand people; c. 7,5 billion people.				
8	. Tick (\checkmark) the sentences which are true.				
1	The presidents of New York, London, conference to discuss the problems of be	·			
2	The representatives spoke of the extra space density.	remely rapid intensification of urban			
3	The absolute shortage of services, sewe problems nowadays.	_			
4	The use of underground space in big cit transportation problem.	ies is the real way towards solving the			
5	The New York subways carry much rairlines combined.	more passengers than all international			
	<u> </u>	<u>l</u>			

9. Make up sentences.

1. freight, in this, of goods, the exploration ,vitally, subspace, the movement, for, become, persons, has, connection, important, of urban. _____

2	2.	the, Moscow, in cities, like, use, is, towards, solving, space, the, of, transportation, the way, problem, underground.
3	3.	the, the, statistics, great, underspace, importance, simple, of, transportation, show.

10. Read and translate the text

Moscow metro.

More than 40 years ago, in June 1931, it was decided to start preparations for the building of the Metro in Moscow. In the spring of 1932 the project drawn up by Soviet engineers and architects was endorsed. Thousands of young specialists and mine workers, construction workers from the Donbas and from Moscow Region, from the Urals, and Dneprostroi went underground into Metro shafts and tunnels. In a short time (it was called a record time by the world press) the first line was constructed. More than eleven kilometers of track connected the Sokolniki district with the Gorky Park district. There were ten stations on this line. The construction work was done in difficult geological conditions, of a kind never encountered by European or American Metro builders.

So this day saw the first section of a double track line 8 miles long put into operation.

The Metro was opened on May 15, 1935. Since then building work on the Metro has not stopped for a single day. Even at the time when the fascist hordes were near Moscow, the Metro builders continued their work.

After the war the scale of construction increased considerably. The construction of the belt line was completed and it connected all the radial routes. The new routes and stations began appearing in new housing districts. Some of the lines go overland, across new bridges and aqueducts.

Moscow's rapidly increasing population, the growth of its industrial enterprises and cultural institutions required the capital to have efficient and convenient means for accommodating passenger traffic.

The Soviet people wanted the Metro to be the best in the world.

There are many stations in the Metro; their surface buildings and underground halls are spacious, well ventilated and well lit. They differ widely in architectural design and are decorated with marble, bronze, aluminium and glass. The present Metro coaches are much better than the early ones. They are -considerably lighter in weight, and the seats are soft. Muscovites and the visitors to the city do not have to wait long for trains, for the interval between them is always short. "Clever" machines have appeared in the Metro recently. An experimental automatic driver conducts trains according to the time-table and stops precisely as required.

The Moscow Metro is developing rapidly. The capital is growing and new Metro lines are being constructed every year.

1	1. Find out all mistakes and write down the right variant.
1.	priperation
	enjiners
	canstryction
	konditionz
5.	dable
6.	opereition
7.	incrised
8.	popjulation
n	wontilated

10	0. avtometic _				
			_		
	12. Transcri	be the following wor	rds.		
hwildi					
buildi archit					
thous					
region					
encou					
fascis					
	derably				
aqueo					
effici					
surfac					
widel	ly				
interv					
exper	rimental				
precis	sely				
requi	red				
	13. Match the	e columns.			
1	1			T	
1	drawn up		a	шахтеры	
2	mine worke		b	промышленные предприятия	
3	go overland		c	вагоны метро	
4	industrial en	nterprises	d	разработанный	
5	well lit		e	проходить над поверхностью земли	
6	metro coach	nes	f	мрамор	
7	marble		g	хорошо освещенный	
1	_, 2, 3	_, 4, 5, 6	_, 7 _	<u></u> .	
	14. Write out	t all phrases with Pa	ssive	Voice and transform them into Active Voice.	
1.					
2.					
3.					
4.					
5.	•				
	15 11	1-1 - 41 1-			
	13. Unscram	ble the words.			
1	itnrcoe				
3.					
5	. actkr				
6.					
	. zborn				
9.					

10. otsf

16. Fill in the table.

Infinitive	Past Indefinite	Participle II	Participle I
	decided		
to build			
		drawn	
to be			
			doing
	saw		
to open			
		begun	
to grow			
	wanted		
to lit			
			stopping

17. Answer the questions.

- 1. Who was endorsed for building the Moscow Metro?
- 2. How much time did it take to construct the first line?
- 3. What was the difference between the construction of the European and the Soviet metro?
- 4. Did the Moscow Metro stop during the time when the fascists were near Moscow?
- 5. What was the reason for the capital to have efficient and convenient means for accommodating passenger traffic?
- 6. What building materials are used for decorating the Metro nowadays?
- 7. What does "clever' machine mean/
- 8. Do you think that the future is for the underground constructions? Why?

18. Translate into English.

- 1. Мы хотели, чтобы вы показали нам московское метро.
- 2. Они знают, что вы хороший строитель.
- 3. Пассажиры видели, как поезд подошел к платформе.
- 4. Известно, что залы Московского метро хорошо освещены и имеют хорошую вентиляцию.
- 5. Ожидают, что строительство этого тоннеля будет закончено в срок.

19. Match beginnings and endings of sentences.

1	In June 1931 it was decided	a	connected the Sokolniki district with the Gorky Park district.
2	More than 11 km of track	b	completed and it connected all the radial routes.
3	On May 15, 1935	С	trains according to the time-table and stops precisely as required.
4	The construction of the belt line was	d	to start the building of the Metro in Moscow.

5	An experimental	automatic	driver	e	the Metro was opened.
	conducts				
1	_, 2, 3, 4	, 5			

- 20. Divide the text into 3 logical parts and define the key idea of each one.
- 21. Write a short resume of the text.

Grammar

Глагол to be в Simple Active

Present	Past	Future
(I) am (he, she, it) is (we, you, they) are	was (ед. ч.) were (мн. ч.)	shall be (1-е л.) will be

Глагол to have в Simple Active

1 timeott to that c o simple flettive						
Present	Past	Future				
have (got) has (got)	had	shall have will have				
nas (got)		will have				

Оборот there + to be в Simple Active

Present	Past	Future
there is (ед.ч.) there are (мн.ч.)	there was (ед.ч.) there were (мн.ч.)	there will be

Степени сравнения прилагательных

	Сисисии	сривнения прилигитело	THUIA
	Положительная	Сравнительная	Превосходная
I	long easy	longer easier	(the) longest (the) easiest
П	interesting	more interesting	(the) most interesting
Ш	good bad much, many little	better worse more less	(the) best (the) worst (the) most (the) least

Времена группы Simple Passive

to be + Participle Π		
Infinitive	to be written, to be translated	
Present Past Future	The letter is written/translated. The letter was written/translated. The letter will be written/translated.	

Сводная таблица модальных глаголов и их эквивалентов

Present	Past	Future
I must meet him.		
I have to meet him.	I had to meet him.	I shall have to meet him.
I am to meet him.	I was to meet him.	I'll be to meet him.
I should meet him.		
He can help you.	He could help you.	
He is able to help you.	He was able to help you.	He will be able to help you.
I may use this device.	I might use this device	
I am allowed to use the device.	I was allowed to use the device.	I shall be allowed to use the device.
	I must meet him. I have to meet him. I am to meet him. I should meet him. He can help you. He is able to help you. I may use this device. I am allowed to use the	I must meet him. I have to meet him. I am to meet him. I should meet him. I should meet him. He can help you. He is able to help you. He was able to help you. I may use this device. I am allowed to use the I was allowed to

Таблица времен группы Simple Active

	2 0000000000000000000000000000000000000	ремен группы зипри А	
Форма	Present Simple	Past Simple	Future Simple
X 7	N C : 1 . 1	3.6.6.1.4.1.3	M C: 1 91 4 1 E 1
Утвердительн	My friends study	My friends studied	My friends will study French
ая	French.	French at school.	at the Institute. The teacher
	He speaks English.	He spoke English at the	will speak about our English
		conference.	exam.
Вопроситель	Do your friends	Did your friends study	Will your friends study
ная	study French?	French at school?	French at the Institute?
	•	Did he speak English at	
	Does he speak	the conference?	Will the teacher speak about
	English?		our English exam?
	C		č
Отрицательна	My friends don't	My friends did not	My friends won't study
Я	study French.	study French.	French at the Institute.
	He doesn't speak	He didn't speak	The teacher won't speak
	English.	English at the	about our English exam.
		conference.	

Структура специальных вопросов

Структури специилоных вопросов				
Вопроси-	Вспомогател	Подлежащее и	Смысловой глагол	Другие члены
тельные слова	ьный глагол	определение к	в форме	предложения
		нему	инфинитива	
What Where	do	you	do	in the evening?
When	did	he	go	yesterday?
	will	your sister	return	home?
		-		
	1			

Таблица времен группы Progressive Active

<u> </u>	Таолица времс	ен группы Progressive Ac	tive
Форма	Present Progressive	Past Progressive	Future Progressive
Утвердитель ная	The are having an English class. He is still writing an exercise.	They were having an English class when I came to see them. He was writing an exercise from 6 till 8 o'clock.	They will be having an English class tomorrow at 9 o'clock. He will be writing an exercise from 6 till 8 o'clock tomorrow.
Вопроситель ная	Are they having an English class? Is he still writing an exercise?	Were they having an English class when I came to see them? Was he writing an exercise from 6 till 8 o'clock.	Will they be having an English class tomorrow at 9 o'clock? Will he be writing an exercise from 6 till 8 o'clock tomorrow?
Отрицатель ная	They aren't having an English class, they are having a Russian class. He isn't writing an exercise, he is reading a book.	They weren't having an English class when 1 came to see them, they were having a Russian class. He wasn't writing an exercise from 6 till 8 o'clock, he was reading a book.	They will not be having an English class tomorrow at 9 o'clock, they will be having a Russian class. He won't be writing an exercise from 6 till 8 o'clock tomorrow, he'll be reading a book.

Таблица времен группы Perfect Active

1 tostatu opesnen epytinoi 1 erjeet 11etive				
Форма	Present Perfect	Past Perfect	Future Perfect	
Утвердительная	I have sent the letter.	I had already sent the letter by 6 o'clock yesterday.	I shall have sent the letter by tomorrow evening.	
Вопросительная	Have you sent the letter?	Had you sent the letter by 6 o'clock yesterday?	Will you have sent the letter by tomorrow evening?	
Отрицательная	I have not sent the letter yet.	I had not sent the letter by 6 o'clock yesterday.	I shall not have sent the letter by tomorrow evening.	

Таблица времен Simple, Progressive, Perfect in Passive Voice

	Simple	Progressive	Perfect
	to be + Participle II	to be + being + Participle II	to have + been + Participle II
	The letter is translated	The letter is being translated	The letter has been translated
Present	Is the letter translated?	Is the letter being translated?	Has the letter been translated?
	The letter isn't translated	The letter isn't being translated	The letter hasn't been translated.
Past	The letter was translated	The letter was being translated	The letter had been translated
	Was the letter translated?	Was the letter being translated?	Had the letter been translated?
	The letter wasn't translated.	The letter wasn't being translated	The letter hadn't been translated?
Future	The letter will be translated		The letter will have been
	Will the letter be translated?	Не употребляются.	Will the letter have been translated?
	The letter won't be translated		The letter won't have been translated.

Таблица производных слов от some, any, no, every

	гаолица произвооных	chos om some,	uny, no, every	
Местоимения	+ thing	+body, one	+where	Употребляются
some некоторый какой-то какой-нибудь несколько	something что-то, что-нибудь	somebody someone кто-то кто-нибудь	somewhere где-то, куда- то, где- нибудь, куда-нибудь	в утверд. предл.
any 1)всякий любой 2)какой-нибудь	anything 1)всё 2)что-то 3)что- нибудь	anybody anyone 1)всякий, 2)кто-то, кто-нибудь	anywhere 1)везде, 2)где-нибудь, куда-нидудь	1)в утверд. 2)в вопросит, предл.
no, not any никакой + не	nothing (not anything) ничто + не ничего	nobody (not anybody), no one никто + не	nowhere not anywhere нигде, никуда + не	в отрицат. предп.
every всякий, каждый	everything всё	everbody everyone <i>sce</i>	everywhere везде, повсюду	в утверд., вопросит, и отрицат. предл.

Словообразовательные аффиксы

Словоооразовительные аффиксы		
Существительные		
- ion / - sion /-tion	- discussion, transmission, combination	
- er / -or	- writer, inspector	
-ing	- opening	
-ment	- development	
-ty / -ity	- activity	
-ance / -ence	- importance, difference	
-ness	- darkness	
-ure / -ture	- mixture	
Прилагательные		
-ic	- democratic	
-ive	- progressive	
-able / -ible	- valuable, accessible	
-ant / -ent	-resistant, different	
-ous	- dangerous	
-al	- central	
-ful	- hopeful	
-less	- hopeless	
-un / -in / -ir / -il / -im	- uncomfortable, indirect, irregular,	
	illogical, impossible	
Глагол		
-ize	- to characterize	
re-	- to rewrite	